




THE SPLENDOR OF NATURE

GLOSSY 600X
1200mm
ENDLESS





- QUALITY
- SERVICES
- ETHICAL PRATICE
- VALUE OF MONEY
- CUSTOMER DELIGHT




PROMISE

WE ARE
FLAZ

Our slabs are designed within a framework that finds a blend of modern edge and classic vitality to become an essential choice for th future architectural and interior design style. This superior quality is achieved through research and innovation. We at **Flaz** believe ir living life king size and our grand tiles are designed to evoke luxury and grandeur in every place they are nstalled.

SURFACES ENGINEERED TO PERFECTION



ENDLESS COLLECTION

Glazed Vitrified Tiles

Tile Body

The finest quality raw materials make up the resilient and robust tile body of Monolith tiles. The raw materials are ethically sourced and sustainably processed.

Engobe Layer

A highly opacious, fusible, and permeable engobe layer makes the second layer of the tiles of Monolith. The layer makes the tiles highly resistant to water absorption for longevity.

High Pigment Digital Printing Ink

The Monolith surfaces get their unique and versatile properties of the design, color, and more in this stage where digital printing is done on the glaze with high pigment ink for excellent results.

Glaze Layer

A high-quality glaze coating is added to the engobe layer of the Monolith tiles giving the tile properties of texture and shine and making them ready for design and color.






EASY TO CLEAN

The superior glaze of the collection makes the surfaces easy to clean and low maintenance.



STAIN RESISTANT

Do not worry about spills and stains with the high stain-resistant glaze of the premium Monolith surfaces.



SCRATCH RESISTANT

Enjoy new-looking surfaces for a very long time with highly scratch and abrasion-resistant surfaces.

TECHNO RICH SURFACES WITH VERSATILE FEATURES

TECHNICAL FEATURES:-



Easy To Maintain



UV Resistant



Non-Slip



Dimensional Stability



Resistant To Chemicals



Resistant To Acids



Water Proof



Fire Resistant



Frost Resistant



Prevents Bacterial Growth



Heat Resistant



Eco-logical

APPLICATION AREAS:-



Residence



Shops



Offices




Hotels



Public Places



Malls




ENJOY THE ARTISTIC
FREEDOM OF
EXCITING FORMAT


The 600x1200mm size gives creative
freedom to use these surfaces in versatile
ways, giving a clean and impeccable look
that generates an impression of the
vastness of spaces, compelling a majestic
appeal that mesmerizes the beholder with
admiration and respect for the craft.





ENDLESS
SAVOIYA SILVER



- FINISH
GLOSSY
- SIZE
600 x 1200 mm
- Random
4 faces



SAVOIYA SILVER





ENDLESS
SAVOIYA NERO



- FINISH
GLOSSY
- SIZE
600 x 1200 mm
- **Random**
4 faces




SAVOIYA NERO









ENDLESS
VENEZIANO BIANCO



- FINISH
GLOSSY
- SIZE
600 x 1200 mm
- Random
3 faces




VENEZIANO BIANCO






ENDLESS
VENEZIANO GREY



- FINISH
GLOSSY
- SIZE
600 x 1200 mm
- Random
3 faces



VENEZIANO GREY







ENDLESS
PRAGA BIANCO



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces



PRAGA BIANCO








ENDLESS
PRAGA SILVER



- FINISH
GLOSSY
- SIZE
600 x 1200 mm
- Random
4 faces



PRAGA SILVER





ENDLESS
LOFTEN BEIGE



LOFTEN BEIGE



FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces






ENDLESS
LOFTEN BROWN



LOFTEN BROWN



FINISH
GLOSSY


SIZE
**600 x
1200 mm**

Random
4 faces





ENDLESS
LOFTEN WHITE





LOFTEN WHITE



FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces





ENDLESS
LOFTEN GREY



- FINISH
GLOSSY
- SIZE
600 x 1200 mm
- **Random
4 faces**




LOFTEN GREY









ENDLESS
TOSCANO LIGHT



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces



TOSCANO LIGHT






ENDLESS
TOSCANO DARK



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces




TOSCANO DARK





ENDLESS
VENETIAN SILVER






FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
2 faces



VENETIAN SILVER





ENDLESS
VENETIAN CHARCOL






FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
2 faces



VENETIAN CHARCOL







ENDLESS
LIVER ABALONE



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces



LIVER ABALONE





ENDLESS
LIVER SESPRESSO



FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces



LIVER SESPRESSO






ENDLESS
ROTTNE BEIGE



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces



ROTTNE BEIGE







ENDLESS
ROTTNE SAND



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces




ROTTNE SAND








ENDLESS
MORAN WHITE



MORAN WHITE




- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces





ENDLESS
MORAN GREY





MORAN GREY

FINISH
GLOSSY


SIZE
**600 x
1200 mm**

Random
4 faces






ENDLESS
OPAC BEIGE






OPAC BEIGE



FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces






ENDLESS
REXORA GREY



- FINISH
GLOSSY
- SIZE
600 x
1200 mm
- Random
4 faces



REXORA GREY










ENDLESS
SINTERD LINEN



- FINISH
GLOSSY
- SIZE
600 x
1200 mm
- Random
4 faces




SINTERD LINEN







ENDLESS
SLICE BEIGE



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces



SLICE BEIGE






ENDLESS
SLICE GREY






SLICE GREY



FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces






ENDLESS
SLICE NATURAL







FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces



SLICE NATURAL






ENDLESS
VENETO GREY







FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces




VENETO GREY









ENDLESS
VENETO GREY GOLD



- FINISH
GLOSSY
- SIZE
600 x
1200 mm
- Random
4 faces



VENETO GREY GOLD







ENDLESS
ENZO MARFIL



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
5 faces



ENZO MARFIL





ENDLESS
FLORA GREY



FLORA GREY



FINISH
GLOSSY

SIZE
**600 x
1200 mm**

**Random
4 faces**









ENDLESS
FUJI WHITE



- FINISH
GLOSSY
- SIZE
600 x
1200 mm
- Random
4 faces



FUJI WHITE







ENDLESS
MIDEN SKY



MIDEN SKY



- FINISH
GLOSSY
- SIZE
600 x
1200 mm
- Random
3 faces





ENDLESS
MIJARES GREY





FINISH
GLOSSY

SIZE
**600 x
1200 mm**

Random
4 faces




MIJARES GREY








ENDLESS
MIRAGE WHITE



MIRAGE WHITE



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces






ENDLESS
PIOCHE SILVER



- FINISH
GLOSSY
- SIZE
**600 x
1200 mm**
- Random
4 faces



PIOCHE SILVER





CHARACTERISTICS	REQUIRMENT AS PER ISO-13006/EN14411 GROUP BIa	OUR VALUE	ISO / EN TESTING METHOD
DIMENSION AND SURFACE QUALITY			
Deviation in length & width	(+-0.5%)	(+-0.3%)	ISO- 10545- 2
Deviation in thickness	(+-5.0%)	(+-4.0%)	ISO- 10545- 2
Straightness in side	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Rectangularity	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Surface flatness	(+-0.5%)	(+-0.2%)	ISO- 10545- 2
Glossiness	MIN 90%	Pass	Glossometer
STRUCTURAL PROPERTIES			
Water absorption	<0.50%	<0.05%	ISO- 10545- 3
MESSIVE MECHANICAL PROPERTIES			
Modulus of repture	MIN. 35N/mm2	MIN. 35N/mm2	ISO- 10545- 4
Breaking strength	MIN. 1300N	MIN. 2000N	ISO- 10545- 4
Impact resistance	As per mfg.	MIN. 0.55	ISO- 10545- 5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion Resistance	MIN. class -2	MIN. Class -3	ISO- 10545- 7
Moh's hardness	MIN. 5	MIN. 6	En101
CHEMICAL PROPERTIES			
Frost Resistance	Required	Pass	ISO- 10545- 12
Household chemicals Resistance	MIN. class AA	Pass	ISO- 10545- 13
Stain Resistance	Resistant	Resistant	ISO- 10545- 14
THERMAL PROPERTIES			
Thermal shock Resistance	10 Cycle	Pass	ISO- 10545- 9
Thermal expansion (COE)	MAX.9.0x10.6	MAX.6.5x10.6	ISO- 10545- 8
Moisture expansion	Nill	Nill	ISO- 10545- 10

Laying & Levelling




Base Structure



Cement Laying On Tile




Joints




Fixing The Tile



Spacers + Laveller



Lavelling Wedges



After Lavelling Process
Leave Int For 8-10 Hrs.



Remove Wedges
Ones It Dry



Joint Grouting



Final Cleaning

Floor and Wall Installation

1. First spread the cement mixer onto the floor and wall substrate.
2. At the same time, apply the cement mixer onto the back of the slab with a tile trowel.
3. The recommended cement mixer must be spread over in one direction only.
4. Using a trowel and follow the same direction as previously applied to the back of the slab.
5. Being careful to maintain a minimum joint of 3mm.
6. Tap the slab with a rubber trowel for a complete fixing, ensuring the air is expelled. It is recommended to start from the centre of the slabs and then move towards the edges.
7. Complete the laying operations using a suitable sealant, while keeping at least a 3mm joint through the use of spacers.
8. To make this task easier, use the special device for pulling over the slabs, available in the market.
9. Levelling wedges at each linear metre of the slabs are recommended.
10. After levelling process leave it for 8-10 hours, remove wedges once it gets dry.



FLAZZ
Vitrified LLP Step into Elegence