


SUPER 600X1200mm
HIGHGLOSSY

SUPER
HIGHGLOSSY

Luxury
Refinement
Sophistication



Crafted By Nature,
Perfected By
Design.MarbleThe

EASY TO CLEAN

Matte surface tiles are exempt from frequent cleaning due to the best concealing of smudges and stains.

CHEMICAL RESISTANT

Our chemical-resistant tiles provide great durability against abrasion, anti-skid qualities for worker safety, and an attractive appearance.

SCRATCH RESISTANT

When it comes to the scratch resistance feature, it will win the top spot. A Matte surface prevents scratches.

FROST RESISTANT

Frost-resistant tiles are not damaged by extremely low temperatures. tile has the ability to endure freeze/thaw temperatures without significant harm.

STAIN RESISTANT

The most appealing aspect of matt finish tiles is that they require no maintenance.



600 x
1200MM



FLAZZ
Vitrified LLP Step into Elegence



Easy To Maintain



UV Resistant



Non slip



Dimensional Stability



Resistant To Chemicals



Resistant To Acids



Heat Resistant




Water Proof




Frost Resistant



Fire Resistant



Prevents Bacterial Growth



Ecological

DISCOVER THE ART OF PERFECTION

The Ceppodi Series in magnificent format of 600x1200mm comes in amazing colors reflecting understated earthy hues. The marvelous series reflects the reinvention of ceramics and contemporary architecture.

Unleash your imagination with each shade imbued with sheer elegance, sophistication and subtlety. The spellbound features and aesthetic charm make these slabs stand as the epitome of excellence.

Glazed Vitrified Tiles

Tile Body

The finest quality raw materials make up the resilient and robust tile body of Monolith tiles. The raw materials are ethically sourced and sustainably processed.

Engobe Layer

A highly opacious, fusible, and permeable engobe layer makes the second layer of the tiles of Monolith. The layer makes the tiles highly resistant to water absorption for longevity.

High Pigment Digital Printing Ink

The Monolith surfaces get their unique and versatile properties of the design, color, and more in this stage where digital printing is done on the glaze with high pigment ink for excellent results.


Glaze Layer

A high-quality glaze coating is added to the engobe layer of the Monolith tiles giving the tile properties of texture and shine and making them ready for design and color.




600 x
1200mm

EXCEPTIONAL
FORMAT WHERE
ART KNOWS
NO BOUND



BELONA GOLD






BELONA GOLD

FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
3 faces






ARTIA BLUE






FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
3 faces




ARTIA BLUE





ARTIA BROWN







FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

**Random
3 faces**



ARTIA BROWN






ENDLESS
CELIO BLACK



FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
4 faces




CELIO BLACK






BRUNO BLACK






BRUNO BLACK



FINISH
**SUPER
HIGH GLOSSY**


SIZE
**600 x
1200 mm**

**Random
3 faces**






DERBY BLACK





DERBY BLACK



FINISH
○ **SUPER
HIGH GLOSSY**


SIZE
○ **600 x
1200 mm**

○ **Random
4 faces**





AERAGO BLACK






FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
4 faces




AERAGO BLACK





ENDLESS
BERNAU BLACK







FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
4 faces




BERNAU
BLACK





ENDLESS
PULPIS BLAK






FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

**Random
3 faces**




PULPIS BLAK








ENDLESS
BLACK MACCHIA



FINISH
**SUPER
HIGH GLOSSY**


SIZE
**600 x
1200 mm**

Random
4 faces






AURA NERO






AURA NERO



FINISH
○ **SUPER
HIGH GLOSSY**

SIZE
○ **600 x
1200 mm**

○ **Random
3 faces**





GENOVA BLACK





FINISH
**SUPER
HIGH GLOSSY**



SIZE
**600 x
1200 mm**

**Random
1 faces**




GENOVA BLACK





JET GOLDY







FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
5 faces



JET GOLDY





OPERA BLACK






FINISH
**SUPER
HIGH GLOSSY**


SIZE
**600 x
1200 mm**

**Random
3 faces**





OPERA BLACK






ORINDA BLUE






ORINDA BLUE



FINISH
**SUPER
HIGH GLOSSY**


SIZE
**600 x
1200 mm**

Random
4 faces





PORTICO BLACK






FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

**Random
3 faces**




PORTICO BLACK






SAINT BLACK






FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

**Random
5 faces**




SAINT BLACK





SPIDER BROWN






SPIDER BROWN

FINISH
**SUPER
HIGH GLOSSY**


SIZE
**600 x
1200 mm**

**Random
5 faces**






TEFLON BLACK





○ FINISH
**SUPER
HIGH GLOSSY**


○ SIZE
**600 x
1200 mm**

○ Random
4 faces




TEFLON BLACK





ZORATO GOLD






FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

**Random
5 faces**




ZORATO GOLD





DAKOTA GOLD






FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
1 faces



DAKOTA GOLD





DZIRE FLAWER



FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
1 faces



DZIRE FLAWER






ENDLESS
TIKTOK BLACK



FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
1 faces



TIKTOK BLACK






ENDLESS
TIKTOK FLORAL



FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
1 faces




TIKTOK FLORAL





ENDLESS
CAZMA DECOR




FINISH
**SUPER
HIGH GLOSSY**

SIZE
**600 x
1200 mm**

Random
1 faces




CAZMA DECOR






CROSS ART




○ FINISH
**SUPER
HIGH GLOSSY**

○ SIZE
**600 x
1200 mm**

○ Random
4 faces



CROSS ART





| CHARACTERISTICS | REQUIRMENT AS PER ISO-13006/EN14411 GROUP Bla | OUR VALUE | ISO / EN TESTING METHOD |
|--------------------------------------|---|---------------|-------------------------|
| DIMENSION AND SURFACE QUALITY | | | |
| Deviation in length & width | (+-0.5%) | (+-0.3%) | ISO- 10545- 2 |
| Deviation in thickness | (+-5.0%) | (+-4.0%) | ISO- 10545- 2 |
| Straightness in side | (+-0.5%) | (+-0.1%) | ISO- 10545- 2 |
| Rectangularity | (+-0.5%) | (+-0.1%) | ISO- 10545- 2 |
| Surface flatness | (+-0.5%) | (+-0.2%) | ISO- 10545- 2 |
| Glossiness | MIN 90% | Pass | Glossometer |
| STRUCTURAL PROPERTIES | | | |
| Water absorption | <0.50% | <0.05% | ISO- 10545- 3 |
| MESSIVE MECHANICAL PROPERTIES | | | |
| Modulus of repture | MIN. 35N/mm2 | MIN. 35N/mm2 | ISO- 10545- 4 |
| Breaking strength | MIN. 1300N | MIN. 2000N | ISO- 10545- 4 |
| Impact resistance | As per mfg. | MIN. 0.55 | ISO- 10545- 5 |
| SURFACE MECHANICAL PROPERTIES | | | |
| Surface abrasion Resistance | MIN. class -2 | MIN. Class -3 | ISO- 10545- 7 |
| Moh's hardness | MIN. 5 | MIN. 6 | En101 |
| CHEMICAL PROPERTIES | | | |
| Frost Resistance | Requiered | Pass | ISO- 10545- 12 |
| Household chemicals Resistance | MIN. class AA | Pass | ISO- 10545- 13 |
| Stain Resistance | Resistant | Resistant | ISO- 10545- 14 |
| THERMAL PROPERTIES | | | |
| Thermal shock Resistance | 10 Cycle | Pass | ISO- 10545- 9 |
| Thermal expansion (COE) | MAX.9.0x10.6 | MAX.6.5x10.6 | ISO- 10545- 8 |
| Moisture expantion | Nill | Nill | ISO- 10545- 10 |

Laying & Levelling




Base Structure



Cement Laying On Tile




Joints




Fixing The Tile



Spacers + Laveller




Lavelling Wedges




After Lavelling Process
Leave Int For 8-10 Hrs.



Remove Wedges
Ones It Dry




Joint Grouting



Final Cleaning

Floor and Wall Installation

1. First spread the cement mixer onto the floor and wall substrate.
2. At the same time, apply the cement mixer onto the back of the slab with a tile trowel.
3. The recommended cement mixer must be spread over in one direction only.
4. Using a trowel and follow the same direction as previously applied to the back of the slab.
5. Being careful to maintain a minimum joint of 3mm.
6. Tab the slab with a rubber trowel for a complete fixing, ensuring the air is expelled. It is recommended to start from the centre of the slabs and then move towards the edges.
7. Complete the laying operations using a suitable sealant, while keeping at least a 3mm joint through the use of spacers.
8. To make this task easier, use the special device for pulling over the slabs, available in the market.
9. Levelling wedges at each linear metre of the slabs are recommended.
10. After levelling process leave it for 8-10 hours, remove wedges once it gets dry.



FLAZZ
Vitrified LLP

 Step into Elegence